


ANGOLARI A LATI DISEGUALI


dimensioni	spessore i n mm							
	1,5	2	2,5	3	4	5	6	7
B x H	peso kg/m							
10 x 20	0,33							
12 x 25	0,42	0,55						
15 x 25	0,45	0,59						
15 x 30	0,51	0,66	0,83	0,99				
15 x 40		0,83	1,03	1,22				
20 x 25		0,66	0,83	0,99				
20 x 30		0,75	0,93	1,10				
20 x 25		0,83	1,03	1,22				
20 x 40		0,94	1,14	1,34				
20 x 45		0,99	1,22	1,46				
20 x 50		1,06	1,32	1,56				
20 x 60		1,22	1,52	1,81				
25 x 30		0,83	1,03	1,22				
25 x 40		0,99	1,22	1,46				
25 x 50		1,14	1,42	1,70				
30 x 40		1,06	1,32	1,56				
30 x 50		1,22	1,52	1,81				
30 x 60			1,72	2,04				
30 x 80				2,52	3,33			
40 x 60				2,28	3,01			
40 x 80				2,75	3,64			
40 x 100				3,22	4,27			




ANGOLARI A LATI UGUALI

UNI 7211

dimensioni	spessore i n mm							
	1,5	2	2,5	3	4	5	6	7
B x H	peso kg/m							
10 x 10	0,20							
15 x 15	0,31	0,40						
20 x 20	0,43	0,56	0,69					
25 x 25	0,55	0,72	0,90	1,03				
30 x 30	0,67	0,88	1,10	1,25				
35 x 35		1,03	1,30	1,53				
40 x 40		1,20	1,45	1,75				
45 x 45		1,35	1,69	2,00	2,63			
50 x 50		1,51	1,87	2,20	2,95	3,65		
60 x 60			2,27	2,70	3,50	4,40	5,22	
70 x 70				3,15	4,15	5,22	6,68	
80 x 80				3,65	4,76	6,75	7,16	
90 x 90				4,12	5,46	6,80	8,10	
100 x 100				4,60	6,00	7,45	8,85	10,22
120 x 120					7,34	9,00	10,70	12,40
150 x 150						11,40	13,55	15,70





«U» AD ALI UGUALI


UNI EN 10279

dimensioni	spessore i n mm		
	1.5	2	3
B x H	peso kg/m		
8 x 10			
8 x 12			
8 x 15	0.39		
11 x 14	0.40		
15 x 10	0.35		
15 x 20	0.59	0.77	
20 x 10	0.41	0.54	
22 x 15	0.56	0.72	
22 x 18	0.64	0.84	
22 x 20	0.68	0.90	
22 x 30	0.91	1.19	
23 x 30	0.92	1.20	
24 x 30	0.93	1.22	1.76
24 x 35	1.05	1.35	2.00
25 x 12	0.52	0.68	
25 x 30	0.95	1.24	1.76
25 x 40	1.18	1.55	2.24
28 x 40	1.22	1.60	2.33
30 x 10	0.52		
30 x 15	0.64	0.85	
30 x 20	0.77	1.00	1.43
30 x 25	0.89	1.16	1.67

dimensioni	spessore i n mm			
	2	3	4	5
B x H	peso kg/m			
30 x 35	1.40	2.00		
30 x 40	1.64	2.43	3.18	
35 x 17	0.99			
35 x 20	1.08	1.53		
35 x 30	1.40	2.00		
35 x 40	1.71	2.50		
40 x 20	1.16	1.67		
40 x 30	1.47	2.14		
40 x 35	1.64	2.43	3.18	
50 x 20	1.33	1.96		
50 x 25	1.47	2.14		
50 x 30	1.64	2.43	3.18	
50 x 40	1.94	2.85	3.70	
55 x 30	1.71	2.50	3.23	
60 x 20	1.47	2.14		
60 x 30	1.87	2.61	3.39	4.12
60 x 40	2.10	3.08	4.01	4.90
65 x 50	2.41	3.58	4.73	5.84
70 x 30	1.94	2.85	3.70	
70 x 35	2.10	3.08	4.01	4.90
70 x 45	2.41	3.58	4.73	5.84
80 x 40	2.41	3.58	4.73	5.84
80 x 50	2.73	4.02	5.27	6.47
80 x 60	3.04	4.50	5.90	7.26
90 x 40	2.57	3.80	4.96	6.08
90 x 45	2.73	4.02	5.27	6.47
100 x 30	2.41	3.58	4.73	5.84
100 x 40	2.73	4.02	5.27	6.47
100 x 50	3.04	4.50	5.90	7.26
100 x 60	3.36	4.96	6.53	8.04
120 x 50		4.96	6.53	8.04
120 x 55		5.20	6.84	8.43
120 x 60		5.44	7.15	8.83
140 x 60		5.91	7.78	9.61
160 x 65		6.55	8.61	10.00

«U» A LATI UGUALI

UNI EN 10279



dimensioni	spessore i n mm									
	0.8	1	1.2	1.5	2	2.5	3	3.5	4	5
B x H	peso kg/m									
8 x 8	0.13	0.16	0.20							
10 x 10	0.17	0.21	0.24	0.29						
12 x 12	0.20	0.26	0.30	0.37						
15 x 15	0.26	0.32	0.38	0.47	0.60					
20 x 20	0.36	0.45	0.53	0.65	0.85					
22 x 22			0.59	0.72	0.94					
25 x 25			0.67	0.83	1.07	1.31	1.53			
26 x 26		0.58	0.69	0.85	1.10	1.35	1.60			
28 x 28			0.76	0.94	1.23	1.51	1.77			
30 x 30			0.81	1.00	1.31	1.61	1.89			
35 x 35				1.20	1.56	1.92	2.25			
40 x 40					1.82	2.21	2.61	2.98	3.35	
45 x 45					2.02	2.52	2.96	3.40	3.82	
50 x 50					2.26	2.79	3.32	3.80	4.29	5.24

PRODUZIONE NORMALE MONOROTAIA NERA DECAPATA ZINCATA



Tipo A Peso kg/ml5,00	Tipo B Peso kg/ml3,18	Tipo C Peso kg/ml1,77

PRODUZIONE NORMALE - FERMAVETRO A SCATTO

LUCIDO - ZINCATO Peso kg/ml0,20	LUCIDO - ZINCATO Peso kg/ml0,23

PROFILO BATTIPIEDE

MR4




Peso Kg/m 3,12

PROFILI ZINCATI PER PANNELLI POLIURETANICI


	Profilo		
	Dim. A mm	Peso Kg/m	
	41	3,66	
	lo i		
	Dim. A mm	Peso Kg/m	
	36	3,51	
41	3,59		
	lo battente		
	Dim. A mm	Peso Kg/m	
	36	2,34	
41	2,42		
	Profilo portapanello		
	Dim. A mm	Olm. B mm	Peso Kg/m
	26	30	1,30
	36	40	1,78
	41	45	1,86
51	55	2,00	

PROFILATI A «C»

UNI EN 10219




dimensioni			spessore i n m m					
			1,5	2	2,5	3	3,5	
H	B	C	peso kg/m					
25	15	7,5	0,74					
25	25	7,5	0,99					
30	15	7,5	0,81					
30	30	10	1,22	1,60	1,96	2,38		
30	40	10	1,46	1,92	2,36			
35	35	10	1,34	1,72	2,25	2,66		
40	20	10	1,11	1,33				
40	30	15	1,46	1,79				
40	40	10	1,58	2,07				
40	40	15	1,63	2,23	2,75	3,25		
40	50	15	1,87	2,54	3,14	3,44		
45	45	15	1,81	2,34	2,85	3,33		
50	30	15	1,58	2,07				
50	30	20	1,63	2,17	2,56	2,97		
50	40	15	1,81	2,39	2,75	3,21		
50	40	20		2,42	2,95	3,44		
50	50	15		2,58	3,14	3,68		
60	30	15		2,11	2,55	2,97		
60	40	20		2,58	3,15	3,69		
60	50	20		2,89	3,54	4,16		
60	60	20		3,21	3,93	4,63		
70	30	20		2,42	2,95	3,44		
70	40	12		2,50	3,03	3,54		
70	50	12		2,80	3,42	4,01		
80	40	20		2,89	3,59	4,16		
80	50	25		3,36	4,13	4,86	5,56	
80	60	15		3,36	4,13	4,86	5,56	
80	80	30		4,46	5,50	6,51	7,49	
100	50	25		3,68	4,52	5,33	6,10	
100	60	30				6,03	6,94	
100	70	35				6,74	7,76	
100	100	30				7,92	9,13	
120	30	12		2,96				
120	60	30		4,46	5,50	6,51	7,49	
130	60	30				6,74	7,75	
140	50	25				6,27	7,21	
140	70	35				7,68	8,87	
150	50	25				6,50	7,48	
150	70	35				7,93	9,14	
180	60	30				7,93	9,14	
200	50	25				7,68	8,87	



OMEGA SIMMETRICI

dimensioni			spessore i n mm			
			1,5	2	2,5	3
B	H	C	peso kg/m			
30	50	20	1.93	2.54	3.14	
40	60	25		3.17	3.92	4.66
40	80	25		3.80	4.71	5.60
50	100	30		4.74	5.88	7.01
60	120	30			6.86	8.20
80	150	45				10.78



ARCARECCIO TIPO FIAT A GOLE RIENTRATE

dimensioni					spessore i n mm			
					2	2.5	3	3.5
H	B	c	e	d	peso kg/m			
50	35	28	22	24	3.02	3.75		
60	35	30	19.5	17	3.30	4.11		
75	35	30	19.5	17	3.76	4.70		
100	40	26.5	35	34		5.12	6.70	
100	60	30	35	34		6.13	7.33	
100	60	42	35	34		6.60	7.89	
105	60	42	35	34		6.80	8.12	
120	50	40	35	34		7.10	8.50	
120	60	30	35	34		6.91	8.27	
120	80	40	35	34		7.69	9.21	
150	80	43.5	47	40		9.03	10.78	12.51
150	82	42.5	47	40		9.03	10.78	12.51