

TUBI SALDATI TONDI da nastro laminato a caldo


UNI EN 10219

$\varnothing D$	S	1,5	2	2,5	3	4	5	6	7	8	9	10
12		0,39										
14		0,46										
16		0,54	0,69									
18		0,61	0,79									
19		0,65	0,84									
20		0,68	0,89									
22		0,76	0,99									
25		0,87	1,13	1,39	1,63							
28		0,98	1,28	1,57	1,85							
30		1,05	1,38	1,70	2,00							
32		1,13	1,48	1,82	2,15							
35		1,24	1,63	2,00	2,37							
38		1,35	1,78	2,19	2,59	3,35						
40		1,42	1,87	2,31	2,74	3,55						
42		1,49	1,97	2,43	2,88	3,75						
45		1,61	2,12	2,62	3,11	4,04						
48		1,72	2,27	2,80	3,33	4,34	5,34					
50		1,79	2,37	2,93	3,48	4,54						
52		1,87	2,47	3,05	3,63	4,74						
55		1,98	2,61	3,24	3,85	5,03						
57		2,05	2,71	3,36	4,00	5,23						
60		2,16	2,86	3,56	4,21	5,52	6,78					
62		2,24	2,96	3,67	4,37	5,72	7,03					
63		2,27	3,01	3,73	4,44	5,82	7,17					
65		2,35	3,11	3,85	4,59	6,02	7,40					
70		2,53	3,35	4,16	4,96	6,51	8,01					
76		2,76	3,65	4,54	5,41	7,11	8,77	10,37				
80		2,90	3,85	4,78	5,70	7,50	9,25	10,95				
83		3,01	4,00	4,96	5,92	7,80	9,62	11,40				
89		3,23	4,29	5,33	6,36	8,38	10,35	12,27	14,14	15,96		
96			4,64	5,76	6,88	9,08	11,22	13,32	15,36			
102			4,90	6,13	7,32	9,67	11,96	14,21	16,40	18,47		
108			5,23	6,50	7,77	10,26	12,70	15,09	17,44			
114			5,52	6,87	8,21	10,90	13,44	15,99	18,48	20,97	23,37	25,72
121			5,87	7,31	8,73	11,45	14,31	17,02	19,69			
127			6,17	7,68	9,17	12,13	15,04	17,90	20,72	23,48	26,19	28,85
133				8,05	9,62	12,73	15,78	18,83	21,76			
139				8,42	10,06	13,32	16,53	19,69	22,80	25,98	29,01	31,99
152				9,22	11,05	14,64	18,18	21,66	25,10	28,49	31,83	35,12
159					11,54	15,69	18,99	22,64	26,24	29,79	33,29	36,75
168,3				10,23	12,23	16,21	20,14	24,02	27,85	31,63	35,36	39,04
177,8					12,93	17,14	21,31	25,42	29,49	35,50	37,47	41,38
193,7					14,11	18,71	23,27	27,77	32,23	36,64	40,99	45,30
219,1					15,99	21,22	25,40	31,53	36,61	41,65	46,63	51,57
244,5						23,72	29,53	35,29	41,00	46,66	52,27	57,83
273,0						26,54	33,05	39,51	45,92	52,28	58,60	64,86
323,9						31,56	39,32	47,04	54,71	62,32	69,89	77,41
339,7							41,27	49,38	57,43	65,44	73,40	81,31
355,6							43,23	51,73	60,18	68,58	76,93	85,23
406,4							49,50	59,25	68,95	78,60	88,20	97,76
457,2								66,76	77,72	88,62	99,48	110,29
508,0								74,28	86,49	98,65	110,75	122,81

TUBI CARPENTERIA

UNI EN 10219

* TUBI CARPENTERIA ZINCATI



Ø "D" pollici	Ø "D" mm	spess . "S" mm	peso kg/m
3/8 *	16.7	1.8	0.68
1/2 *	21.2	2	0.95
3/4 *	26.7	2.5	1.49
1' *	33.5	2.65	2.02
1 1/4 *	42.2	2.8	2.87
1 1/2 *	48.2	3	3.31


* Tubi disponibili anche zincati

Ø "D" pollici	Ø "D" mm	spess . "S" mm	peso kg/m
* 2' *	60	3	4.19
2 1/2	76	3	5.36
3'	89	3	6.32
3 1/2	102	3	7.32
4'	114.3	3.2	8.21


* Tubi disponibili anche zincati

TUBOLARI QUADRI

UNI EN 10219



dimensione "A x B" mm	spessore mm									
	1.5	2	3	4	5	6	7	8	9	10
	peso kg/m									
10 x 10	0.40									
12 x 12	0.50									
15 x 15	0.64	0.88								
20 x 20	0.87	1.13	1.60							
25 x 25	1.11	1.44	2.07							
30 x 30	1.34	1.76	2.54	3.27						
35 x 35	1.58	2.07	3.01							
40 x 40	1.81	2.39	3.48	4.09						
45 x 45	2.05	2.70	3.96	4.72	5.61					
50 x 50	2.28	3.01	4.43	5.83	6.40					
60 x 60	2.75	3.64	5.37	7.03	7.97	10.34				
70 x 70	3.23	4.27	6.31	8.33	9.54	11.10	12.53			
80 x 80		4.90	7.25	9.55	11.11	12.99	14.72	16.36		21.20
90 x 90		5.50	8.20	10.80	12.68	14.87	16.92			
100 x 100		6.15	9.14	12.06	14.26	16.76	19.12	21.39	22.99	24.89
110 x 110			9.84	12.89	15.83	18.64	21.32	23.90	25.81	28.03
120 x 120			11.00	14.54	17.40	20.53	23.52	26.41	28.64	31.17
140 x 140			12.72	16.76	20.52	24.28	27.91	31.43	34.29	37.45
150 x 150			13.82	18.35	22.11	26.19	30.11	33.95	37.12	40.59
160 x 160			14.61	19.27	23.66	28.04	32.31	36.46	39.94	43.73
175 x 175			16.02	21.15	26.02	30.87	35.61	40.23	44.18	48.44
180 x 180				21.78	26.80	31.81	36.70	41.48	45.60	50.01
200 x 200				24.29	29.94	35.58	41.10	46.51	51.25	56.29
220 x 220				26.81	33.09	39.35	45.50	51.53	56.90	62.57
250 x 250				30.57	37.79	45.00	52.09	59.07	65.38	71.99
260 x 260				31.83	39.36	46.88	54.29	61.58	68.20	75.13
300 x 300					45.64	54.42	63.08	71.63	79.51	87.69
325 x 325					49.57	59.13	68.58	77.91	86.57	95.54




TUBOLARI RETTANGOLARI

UNI EN 10219

dimensione "A x B" mm	spessore m m						
	1.5	2	3	4	5	6	7
	peso kg/m						
15 x 10	0.52						
20 x 10	0.64	0.81					
20 x 15	0.75	0.97					
25 x 10	0.75	0.97					
25 x 15	0.87	1.13					
25 x 20	0.99	1.29					
30 x 10	0.87	1.13					
30 x 15	0.99	1.29	1.65				
30 x 20	1.11	1.44	2.07				
35 x 10	0.99	1.29					
35 x 15	1.11	1.44	2.07				
35 x 20	1.22	1.60	2.31				
40 x 10	1.11	1.44					
40 x 15	1.22	1.60	2.31				
40 x 20	1.34	1.76	2.54				
40 x 25	1.46	1.91	2.78				
40 x 30	1.58	2.07	3.01				
45 x 10	1.22	1.60	2.31				
45 x 15	1.34	1.76	2.54				
45 x 20	1.46	1.91	2.78				
45 x 30	1.69	2.23	3.25				
50 x 10	1.34	1.76	2.54				
50 x 15	1.46	1.92	2.78				
50 x 20	1.58	2.07	3.01				
50 x 25	1.69	2.23	3.25				
50 x 30	1.81	2.39	3.48	4.52			
50 x 40	2.05	2.70	3.95	5.15			
60 x 10	1.58	2.07	3.01				
60 x 15	1.69	2.23	3.25				
60 x 20	1.81	2.39	3.48				
60 x 25	1.93	2.54	3.74				
60 x 30	2.05	2.70	3.95	4.72			
60 x 40	2.28	3.01	4.43	5.35	7.01		
60 x 50	2.52	3.33	4.90	5.98	8.02		
70 x 20	2.05	2.70	3.95	5.23			
70 x 25	2.17	2.86	4.19				
70 x 30	2.28	3.01	4.43	5.35			
70 x 40	2.52	3.33	4.90	5.98			

TUBOLARI RETTANGOLARI

UNI EN 10219









dimensione "A x B" mm	spessore mm									
	1.5	2	3	4	5	6	7	8	9	10
	peso kg/m									
70 x 50	2.76	3.64	5.37	7.05	7.97	9.21	10.34			
80 x 15	2.16	2.86								
80 x 20	2.28	3.01	4.43							
80 x 30	2.52	3.33	4.90	5.98						
80 x 40	2.76	3.64	5.37	7.05	7.97	9.21	10.34			
80 x 50	2.99	3.96	5.84	7.66	8.75					
80 x 60	3.23	4.27	6.31	7.86	9.54	11.10	12.54	15.57		
90 x 30	2.76	3.64	5.37	7.10						
90 x 40	2.99	3.96	5.84	7.66						
90 x 50	3.23	4.27	6.31	7.86	9.53	11.09	13.85	15.57		
100 x 20	2.76	3.64	5.37							
100 x 30	3.00	3.95	5.84	7.66						
100 x 40	3.22	4.27	6.31	7.86	9.54	11.10	12.54			
100 x 50	3.46	4.58	6.78	8.92	11.40	12.04	13.64	16.83		
100 x 60		4.90	7.25	9.55	11.77	12.98	14.74	18.09		
100 x 70		5.21	7.72	10.17	12.56	13.93				
100 x 80		5.53	8.19	10.80	13.35	14.87	16.94	20.40		
110 x 50		4.90	7.25	9.55	11.77	12.98	14.74			
120 x 30		4.59	6.81	8.98						
120 x 40		4.90	7.25	9.55	11.77	12.98	14.74			
120 x 50		5.36	7.77	10.26	12.30	15.10				
120 x 60		5.53	8.19	10.80	13.35	14.87	16.94			
120 x 80		6.15	9.14	12.06	14.91	16.76	19.14	21.39		
130 x 50		5.50	8.20	10.80	13.35	14.87				
140 x 50		5.84	8.67	11.43						
140 x 60		6.15	9.14	12.06	14.91	16.76	19.14			
140 x 70		6.47	9.61	12.27	15.04	17.70				
140 x 80			10.11	13.39	16.53	19.69	21.32	23.90		
150 x 30		5.45	8.01	10.48						
150 x 40		5.87	8.73	11.43	15.04	17.70				
150 x 50		6.07	9.14	12.06	14.91	16.76	19.14	23.10		
150 x 100			11.49	15.20	18.84	21.47	24.90	27.67		35.70
160 x 60			10.06	13.02	16.50					
160 x 80			11.02	14.57	18.05	20.53	23.80	26.41		
180 x 60			11.02	14.57	18.05	20.53	23.80			
180 x 80			11.78	15.50	18.95	22.39	25.71	28.92		
200 x 100			13.67	18.01	22.09	26.16	30.11	33.95	37.12	40.59
200 x 150			16.02	21.16	26.01	30.90	35.65	40.23	44.78	48.44
250 x 100			16.02	21.16	26.01	30.90	35.65	40.23	44.18	48.44
250 x 150				24.29	29.94	35.58	41.10	46.51	51.25	56.29
300 x 100				24.29	30.01	35.68		46.68		57.23
300 x 150				27.43	33.87	40.29	46.60	52.79		
300 x 200				30.57	37.75	45.00	52.09	59.07		72.93
400 x 200					45.64	54.42	63.08	71.63		88.63
400 x 250					49.57	59.13	68.58	77.91		









TUBOLARI PER SERRAMENTI


UNI EN 10305












1A - 1B - 1C SERIE DISPONIBILI ANCHE ZINCATI

TUBOLARI PER SERRAMENTI UNI EN 10305











TUBOLARI PER SERRAMENTI UNI EN 10305







TUBOLARI PER PORTONI UNI EN 10305






CORRIMANO

UNI EN 10305




OVALE

dimensioni "A x B" mm	spessore "S" mm	
	1,5	2
	peso in kg/mt	
30 x 15	0,86	1,13
40 x 20	1,12	1,47
50 x 25	1,50	1,95
60 x 30	1,79	2,37



TRIANGOLO


dimensioni "A x B" mm	spessore "S" mm	
	1,5	2
	peso in kg/mt	
30 x 15	0,86	1,13
40 x 20	1,24	1,63




TUBI MOBILIO

a freddo da nastro lucido

UNI EN 10305



peso kg/m dimensioni D	spessore mm								
	0,6	0,7	0,8	0,9	1	1,2	1,5	2	2,5
8	0,11 0	0,126	0,14 2	0,158	0,17 3	0,201	0,240		
9	0,12 4	0,143	0,16 2	0,180	0,19 7	0,231	0,277		
9,5	0,13 2	0,152	0,17 2	0,191	0,21 0	0,246	0,296		
10	0,13 9	0,161	0,18 2	0,202	0,22 2	0,260	0,314		
11	0,15 4	0,178	0,20 1	0,224	0,24 7	0,290	0,351		
12	0,16 9	0,195	0,22 1	0,246	0,27 1	0,320	0,388		
13		0,21 2	0,241	0,26 9	0,296	0,34 9	0,425		
14	0,19 8	0,230	0,26 0	0,291	0,32 1	0,379	0,46 2	0,592	
15	0,21 3	0,247	0,28 0	0,313	0,34 5	0,408	0,49 9	0,641	
16	0,22 8	0,264	0,30 0	0,335	0,37 0	0,438	0,53 6	0,691	
17	0,24 3	0,281	0,32 0	0,357	0,39 5	0,468	0,57 3	0,740	
18	0,25 7	0,299	0,33 9	0,380	0,41 9	0,497	0,61 0	0,789	
19			0,35 9	0,402	0,44 4	0,527	0,64 7	0,838	
20	0,28 7	0,333	0,37 9	0,424	0,46 9	0,556	0,68 4	0,888	
21					0,49 3	0,586	0,72 1	0,937	
22	0,31 7	0,368	0,41 8	0,468	0,51 8	0,616	0,75 8	0,986	1,202
22, 2			0,42 2	0,473	0,52 3	0,622	0,76 6	0,996	
23, 4					0,55 2	0,657	0,81 3	1,056	
24	0,34 6		0,458	0,51 3	0,567	0,67 5	0,832	1,085	
25		0,41 9	0,477	0,53 5	0,592	0,70 4	0,869	1,13 4	1,387
25, 4					0,60 2	0,716	0,88 4	1,154	
26		0,43 7	0,497	0,55 7	0,617	0,73 4	0,906	1,184	
27					0,64 1	0,764	0,94 3	1,233	
28		0,47 1	0,537	0,60 1	0,666	0,79 3	0,980	1,28 2	1,572
28, 6					0,68 1	0,811	1,00 3	1,312	
30		0,50 6	0,576	0,64 6	0,715	0,85 2	1,054	1,38 1	1,695
31, 7					0,75 7	0,903	1,11 7	1,465	
32		0,54 0	0,616	0,69 0	0,764	0,91 1	1,128	1,48 0	1,819
33					0,78 9	0,941	1,16 5	1,529	1,880
35		0,59 2	0,675	0,75 7	0,838	1,00 0	1,239	1,62 8	2,004
38			0,73 4	0,823	0,91 2	1,089	1,35 0	1,776	2,189
40				0,86 8	0,962	1,14 8	1,424	1,87 4	2,312
41					0,98 6	1,179	1,46 1	1,924	2,374
42					1,01 1	1,207	1,49 6	1,973	2,435
43					1,03 6	1,237	1,53 5	2,022	2,497
45					1,08 5	1,296	1,60 9	2,121	2,620
48					1,16 0	1,380	1,72 0	2,270	2,800
50				1,10 7	1,210	1,44 4	1,794	2,36 8	2,929
60					1,45 5	1,740	2,16 4	2,860	3,540



TUBOLARI RETTANGOLARI a freddo da nastro lucido

UNI EN 10305



peso kg/m dimensioni D A x B	spessore mm								
	0,6	0,7	0,8	0,9	1	1,2	1,5	2	2,5
10 x 7			0,20 1	0,224	0,24 7	0,290	0,351		
15 x 10			0,30 0	0,335	0,37 0	0,438	0,536		
18 x 5			0,26 0	0,291	0,32 1	0,379	0,462		
20 x 10			0,36 1	0,402	0,44 0	0,520	0,63 6	0,838	
20 x 15			0,42 2	0,453	0,52 5	0,615	0,76 0	0,986	
24 x 18			0,51 0	0,570	0,63 0	0,750	0,930		
25 x 10			0,42 2	0,453	0,52 5	0,615	0,76 0	0,986	
25 x 15			0,48 2	0,541	0,60 0	0,708	0,87 1	1,154	
25 x 20			0,55 0	0,620	0,68 0	0,810	1,000		
30 x 10			0,48 2	0,541	0,60 0	0,708	0,871		
30 x 15			0,55 1	0,612	0,67 5	0,803	0,99 0	1,310	
30 x 20			0,58 2	0,663	0,75 4	0,900	1,10 8	1,480	
30 x 25			0,68 5	0,765	0,85 0	1,010	1,255		
35 x 10			0,55 0	0,620	0,68 0	0,810	1,000		
35 x 11			0,57 6	0,646	0,71 5	0,852	1,054		
35 x 15			0,62 3	0,700	0,77 5	0,925	1,145		
35 x 20			0,68 0	0,765	0,84 5	1,010	1,250		
35 x 25			0,74 0	0,830	0,91 5	1,095	1,355		
35 x 30			0,81 3	0,912	1,01 1	1,207	1,498		
40 x 10					0,75 4	0,900	1,10 8	1,444	
40 x 11					0,78 9	0,941	1,16 5	1,529	
40 x 15					0,85 0	1,010	1,25 5	1,640	
40 x 20					0,91 0	1,085	1,34 2	1,760	
40 x 25					1,01 1	1,207	1,49 8	1,973	
40 x 30					1,06 8	1,274	1,57 8	2,072	
45 x 10					0,85 0	1,010	1,25 5	1,640	
45 x 11					0,85 5	1,020	1,26 5	1,660	
45 x 15					0,91 5	1,090	1,35 5	1,780	
45 x 20					1,01 1	1,207	1,49 8	1,973	
45 x 25					1,09 0	1,305	1,62 0	2,140	
45 x 30					1,16 0	1,380	1,72 0	2,270	
50 x 10					0,91 0	1,085	1,34 2	1,760	
50 x 11					0,92 4	1,100	1,35 9	1,779	
50 x 15					1,01 1	1,207	1,49 8	1,973	
50 x 20					1,06 8	1,274	1,57 8	2,072	
50 x 25					1,16 0	1,368	1,69 6	2,230	
50 x 30					1,21 0	1,440	1,79 0	2,370	
60 x 20					1,21 0	1,440	1,79 0	2,370	

TUBO QUADRO

a freddo da nastro lucido

UNI EN 10219

peso kg/m	spessore mm									
	dimensioni A x B		0,6	0,7	0,8	0,9	1	1,2	1,5	2
	10 x 10			0,23 8	0,265	0,29 0	0,345	0,420		
	12 x 12			0,29 0	0,321	0,35 0	0,412	0,536		
	14 x 14			0,34 1	0,381	0,40 8	0,482	0,610		
	15 x 15			0,36 2	0,402	0,44 0	0,520	0,636		
	16 x 16			0,37 0	0,421	0,47 1	0,558	0,683		
	18 x 18			0,44 1	0,482	0,53 4	0,633	0,777		
	20 x 20			0,51 1	0,543	0,59 7	0,702	0,87 1	1,154	
	22 x 22			0,53 7	0,601	0,66 6	0,793	0,98 0	1,282	
	24 x 24			0,57 6	0,646	0,71 5	0,852	1,05 4	1,381	
	25 x 25			0,61 6	0,690	0,76 4	0,987	1,10 7	1,444	
	25,4 x 25,4					0,77 8	0,912	1,12 3	1,460	
	28 x 28					0,83 8	1,000	1,23 9	1,628	
	30 x 30					0,91 1	1,085	1,34 2	1,758	
	35 x 35					1,06 8	1,274	1,57 8	2,072	
	40 x 40					1,21 0	1,440	1,79 0	2,370	



TUBO OVALE


a freddo da nastro lucido


peso kg/m	spessore mm									
	dimensioni A x B		0,6	0,7	0,8	0,9	1	1,2	1,5	2
	20 x 10				0,34 0	0,382	0,42 3	0,504	0,615	
	22,5 x 12,5						0,44 4	0,527	0,647	
	25 x 10				0,36 1	0,403	0,44 1	0,532	0,651	
	30 x 10				0,43 0	0,480	0,53 3	0,634	0,780	
	33 x 10				0,47 5	0,532	0,59 0	0,700	0,86 5	1,130
	25 x 15				0,42 8	0,470	0,52 0	0,620	0,760	
	30 x 15				0,47 1	0,542	0,59 2	0,704	0,86 9	1,134
	36 x 18						0,71 5	0,852	1,05 4	1,381
	40 x 20						0,76 4	0,911	1,12 7	1,480
	50 x 25							1,17 7	1,458	1,925
	60 x 20							1,29 6	1,609	2,121

TUBO SEMIOVALE

a freddo da nastro lucido


peso kg/m	spessore mm								
	dimensioni A x B		0,6	0,7	0,8	0,9	1,1	1,2	1,52
	30 x 15			0,50 7	0,568	0,62 9	0,749	0,92 5	1,208
	30 x 20			0,62 0	0,700	0,77 0	0,920	1,14 0	1,500
	40 x 20			0,67 5	0,757	0,83 8	1,000	1,23 9	1,628
	40 x 25					0,91 2	1,089	1,35 0	1,776





TUBOLARI QUADRI acciaio inox AISI 304

dimensioni mm	spessore mm				
	1.0	1.2	1.5	2.0	3.0
A x B	peso kg/m				
15 x 15	0.453	0.538	0.661		
20 x 20	0.610	0.724	0.890	1.159	
25 x 25	0.771	0.917	1.129	1.475	
30 x 30	0.931	1.108	1.371	1.795	2.643
35 x 35	1.081	1.302	1.612	2.115	3.124
40 x 40	1.251	1.494	1.852	2.434	3.562
45 x 45		1.687	2.090	2.756	4.040
50 x 50		1.822	2.332	3.078	4.533
60 x 60			2.815	3.724	5.494
80 x 80			3.798	5.040	7.484
100 x 100			4.819	6.400	9.525





TUBOLARI RETTANGOLARI acciaio inox AISI 304

dimensioni mm	spessore mm				
	1.0	1.2	1.5	2.0	3.0
A x B	peso kg/m				
20 x 10	0.453	0.538	0.661		
25 x 15	0.610	0.724	0.890		
30 x 10	0.610	0.724	0.890		
30 x 15	0.689	0.820	1.010		
30 x 20	0.771	0.917	1.129	1.475	
35 x 15	0.771	0.917	1.129	1.475	
40 x 20	0.931	1.108	1.371	1.795	2.643
40 x 30	1.081	1.302	1.612	2.115	3.124
50 x 20	1.081	1.302	1.612	2.115	3.124
50 x 25	1.170	1.398	1.734	2.275	3.363
50 x 30		1.494	1.852	2.434	3.562
50 x 40		1.687	2.090	2.756	4.040
60 x 30		1.687	2.090	2.756	4.040
60 x 40		1.882	2.332	3.078	4.533
70 x 30		1.882	2.332	3.078	4.533
80 x 40			2.815	3.724	5.494
80 x 60			3.303	4.379	6.494
100 x 40			3.303	4.379	6.494
100 x 50			3.532	4.684	6.952
100 x 60			3.783	5.019	7.454

Diametro mm	spessore mm				
	1.0	1.2	1.5	2.0	3.0
Ø	peso kg/m				
10	0.22 5	0.325	0.39 4	0.500	
12	0.27 7	0.326	0.396		
14	0.32 7	0.387	0.472		
15	0.35 2	0.417	0.510		
16	0.37 8	0.447	0.548		
17.2	0.40 8	0.484	0.59 3	0.766	
18	0.42 8	0.508	0.62 3	0.806	
20	0.47 8	0.568	0.69 9	0.907	
21.3	0.51 2	0.608	0.74 8	0.973	
22	0.52 9	0.628	0.77 4	1.008	
25	0.60 4	0.719	0.88 8	1.159	
26.9	0.65 3	0.777	0.96 0	1.255	1.806
28	0.68 0	0.810	1.00 1	1.310	1.890
30	0.73 0	0.870	1.07 7	1.414	2.041
32	0.78 1	0.931	1.15 2	1.512	2.192
33	0.80 6	0.961	1.19 0	1.562	2.268
33.7	0.82 4	0.938	1.21 7	1.598	2.321
35	0.85 6	1.022	1.26 6	1.663	2.419
38	0.93 2	1.112	1.37 9	1.814	2.646
40	0.98 2	1.173	1.45 5	1.915	2.797
42	1.03 3	1.233	1.53 0	2.016	2.948
42.4	1.04 3	1.236	1.54 6	2.036	2.979
45	1.10 8	1.324	1.64 4	2.166	3.175
48.3	1.19 1	1.424	1.76 9	2.833	3.424
50	1.23 4	1.475	1.83 3	2.419	3.553
51	1.26 0	1.505	1.87 1	2.469	3.628
52	1.28 5	1.536	1.90 8	2.520	3.704
53		1.56 6	1.946	2.57 0	3.780
54		1.59 6	1.984	2.62 0	3.855
57		1.68 7	2.097	2.77 2	4.082
60.3		1.78 7	2.222	2.93 8	4.331
63.5		1.88 3	2.343	3.09 9	4.573
64		1.89 9	2.362	3.12 4	4.611
70		2.08 0	2.589	3.42 7	5.065
73		2.17 1	2.702	3.57 8	5.292
76.1		2.26 4	2.819	3.73 4	5.526
83			3.08 0	4.082	6.048
88.9			3.30 3	4.379	6.494
101.6			3.78 3	5.019	7.454
114.3			4.26 3	5.659	8.414
129			4.81 9	6.400	9.525
139.7			5.22 3	6.940	10.334
153			5.72 6	7.610	11.340
154			5.76 4	7.660	11.415
168.3			6.30 5	8.381	12.496
203			7.616	10.130	15.120
219.1			8.225	10.936	16.329
254			9.544	12.700	18.975
273			10.262	13.658	20.412
303			11.396	15.170	22.680
323.9				16.223	24.260
355.6					26.656

**TUBI TONDI
SALDATI
acciaio inox
AISI 304**





TUBI STRUTTURALI QUADRI tubi strutturali a caldo

UNI EN 10210 - Qualità S 275J0H - Qualità S 355J2H


Dimens.	Spessori												
	BxA	2	3	4	5	6	7	8	10	12	14	16	20
20x20	1,10	-	-	-	-	-	-	-	-	-	-	-	-
25x25	1,41	2,00	2,50	2,93	-	-	-	-	-	-	-	-	-
30x30	1,72	2,47	3,13	3,71	4,22	-	-	-	-	-	-	-	-
35x35	2,04	2,94	3,76	4,50	5,16	-	-	-	-	-	-	-	-
40x40	2,35	3,41	4,39	5,28	6,10	6,84	7,50	-	-	-	-	-	-
45x45	2,67	3,88	5,01	6,07	7,04	7,94	8,76	-	-	-	-	-	-
50x50	2,98	4,35	5,64	6,85	7,99	9,04	10,00	11,70	-	-	-	-	-
60x60	3,61	5,29	6,90	8,42	9,87	11,20	12,50	14,90	-	-	-	-	-
70x70	4,24	6,24	8,15	9,99	11,80	13,40	15,00	18,00	20,60	-	-	-	-
80x80	4,86	7,18	9,41	11,60	13,60	15,60	17,50	21,10	24,40	-	-	-	-
90x90	5,49	8,12	10,70	13,10	15,50	17,80	20,10	24,30	28,20	-	-	-	-
100x100	6,12	9,06	11,90	14,70	17,40	20,00	22,60	27,40	31,90	36,20	-	-	-
110x110	-	10,00	13,20	16,30	19,30	22,20	25,10	30,60	35,70	-	-	-	-
120x120	-	10,90	14,40	17,80	21,20	24,40	27,60	33,70	39,50	-	-	-	-
130x130	-	11,90	15,70	19,40	23,10	26,60	30,10	36,80	43,20	-	-	-	-
140x140	-	12,80	16,90	21,00	24,90	28,80	32,60	40,00	47,00	53,70	60,10	-	-
150x150	-	13,80	18,20	22,60	26,80	31,00	35,10	43,10	50,80	58,10	65,20	-	-
160x160	-	14,70	19,50	24,10	28,70	33,20	37,60	46,30	54,60	62,50	70,20	-	-
175x175	-	16,10	21,30	26,50	31,50	36,50	41,40	51,00	-	-	-	-	-
180x180	-	-	22,00	27,30	32,50	37,60	42,70	52,50	62,10	71,30	80,20	-	-
200x200	-	-	24,50	30,40	36,20	42,00	47,70	58,80	69,60	80,10	90,30	-	-
220x220	-	-	27,00	33,50	40,00	46,40	52,70	65,10	77,20	88,90	100,00	-	-
250x250	-	-	30,80	38,30	45,70	53,00	60,30	74,50	88,50	102,00	115,00	-	-
260x260	-	-	32,00	39,80	47,60	55,20	62,80	77,70	92,20	106,00	-	-	-
300x300	-	-	-	46,10	55,10	64,00	72,80	90,20	107,00	124,00	141,00	-	-
325x325	-	-	-	50,00	59,80	69,50	79,10	98,10	-	-	-	-	-
350x350	-	-	-	-	64,50	-	85,40	106,00	126	146,00	166,00	-	-
400x400	-	-	-	-	-	-	97,90	122,00	145,00	168,00	191,00	235,00	-

Dimensioni e Spessori diversi su richiesta

TUBI STRUTTURALI RETTANGOLARI


tubi strutturali a caldo

UNI EN 10210 - Qualità S 275J0H - Qualità S 355J2H



Dimens.	Spessori											
	AxB	2	3	4	5	6	7	8	10	12	14	16
40x30		2,04	2,94	3,76	4,50	5,16	-	-	-	-	-	-
50x30		2,35	3,41	4,39	5,28	6,10	-	-	-	-	-	-
40		2,67	3,88	5,01	6,07	7,04	7,94	8,76	-	-	-	-
60x30		2,67	3,88	5,01	6,07	7,04	-	-	-	-	-	-
40		2,98	4,35	5,64	6,85	7,99	9,04	10,00	-	-	-	-
50		3,29	4,82	6,27	7,64	8,93	10,10	11,30	-	-	-	-
65x45		-	-	-	-	8,93	-	-	-	-	-	-
70x30		2,98	4,35	5,64	6,85	7,99	9,04	10,00	-	-	-	-
40		3,29	4,82	6,27	7,64	8,93	10,10	11,30	13,30	-	-	-
50		3,61	5,29	6,90	8,42	9,07	11,20	12,50	14,90	-	-	-
60		-	5,76	7,93	9,21	10,80	12,30	13,80	16,40	-	-	-
80x30		3,29	4,82	6,27	-	-	-	-	-	-	-	-
40		3,61	5,29	6,90	8,42	9,87	11,20	12,50	14,90	-	-	-
50		3,92	5,76	7,53	9,21	10,80	12,30	13,80	16,40	-	-	-
60		4,24	6,24	8,15	9,99	11,80	13,40	15,00	18,00	-	-	-
90x30		3,61	5,29	6,90	-	-	-	-	-	-	-	-
40		3,92	5,76	7,53	-	-	-	-	-	-	-	-
50		4,24	6,24	8,15	9,99	11,80	13,40	15,00	18,00	-	-	-
60		4,55	6,71	8,78	-	12,70	-	-	-	-	-	-
100x30		3,92	5,76	7,53	9,21	10,80	12,30	13,80	16,40	-	-	-
40		4,24	6,24	8,15	9,99	11,80	13,40	15,00	18,00	-	-	-
50		4,55	6,71	8,78	10,80	12,70	14,50	16,30	19,60	-	-	-
60		4,86	7,18	9,41	11,60	13,60	15,60	17,50	21,10	-	-	-
70		5,18	7,65	10,00	12,30	14,60	16,70	18,80	22,70	-	-	-
80		5,49	8,12	10,70	12,10	15,50	17,80	20,10	24,30	28,20	-	-
90		-	8,59	11,30	13,90	16,50	18,90	21,30	25,80	30,10	-	-

Dimensioni e Spessori diversi su richiesta



TUBI STRUTTURALI RETTANGOLARI

tubi strutturali a caldo

UNI EN 10210 - Qualità S 275J0H - Qualità S 355J2H


Dimens.	Spessori											
	AxB	2	3	4	5	6	7	8	10	12	14	16
110x50	4,86	7,18	9,41	11,60	13,60	15,60	-	-	-	-	-	-
60	-	7,65	10,00	12,30	14,60	16,70	18,80	22,70	-	-	-	-
70	-	8,12	10,70	13,10	15,50	17,80	20,10	24,30	-	-	-	-
80	-	8,59	11,30	13,90	16,50	18,90	21,30	25,80	30,10	-	-	-
120x30	4,55	6,71	8,78	-	-	-	-	-	-	-	-	-
40	4,86	7,18	9,41	11,60	13,60	15,60	17,50	21,10	-	-	-	-
50	-	7,65	10,00	12,30	14,60	16,70	18,80	22,70	-	-	-	-
60	5,49	8,12	10,70	13,10	15,50	17,80	20,10	24,30	-	-	-	-
70	-	8,59	11,30	13,90	16,50	18,90	21,30	25,80	-	-	-	-
80	6,12	9,06	11,90	14,70	17,40	20,00	22,10	27,40	31,90	-	-	-
100	-	10,00	13,20	16,30	19,30	22,20	25,10	30,60	35,70	-	-	-
130x50	54,9	8,12	10,70	13,10	15,50	-	-	-	-	-	-	-
60	5,81	8,59	11,30	-	-	-	-	-	-	-	-	-
140x40	5,49	8,12	10,70	13,10	15,50	17,80	20,10	24,30	-	-	-	-
50	5,81	8,59	11,30	-	-	-	-	-	-	-	-	-
60	6,12	9,06	11,90	14,70	17,40	20,00	22,60	27,40	-	-	-	-
70	-	9,53	12,60	15,50	18,30	21,10	23,80	29,00	33,80	-	-	-
80	-	10,00	13,20	16,30	19,30	22,20	25,10	30,60	35,70	-	-	-
90	-	10,50	13,80	17,10	20,20	23,30	26,30	32,10	37,60	-	-	-
150x30	5,49	8,12	10,70	-	-	-	-	-	-	-	-	-
40	5,81	8,59	11,30	-	-	-	-	-	-	-	-	-
50	6,12	9,06	11,90	14,70	17,40	20,00	22,00	27,40	-	-	-	-
60	-	9,53	12,60	15,50	18,30	21,10	23,80	29,00	-	-	-	-
75	-	-	-	16,70	19,80	22,80	25,70	31,30	-	-	-	-
80	7,06	10,50	-	-	-	-	-	-	-	-	-	-
100	-	11,40	15,10	18,60	22,10	25,50	28,90	35,30	41,40	-	-	-

Dimensioni e Spessori diversi su richiesta

TUBI STRUTTURALI RETTANGOLARI


tubi strutturali a caldo

UNI EN 10210 - Qualità S 275J0H - Qualità S 355J2H



Dimens.	Spessori											
	AxB	2	3	4	5	6	7	8	10	12	14	16
160x50	-	9,53	12,60	15,50	18,30	-	-	-	-	-	-	-
60	-	10,00	13,20	16,30	19,30	22,20	25,10	30,60	-	-	-	-
80	-	10,90	14,40	17,80	21,20	24,40	27,60	33,70	39,50	-	-	-
90	-	11,40	15,10	18,60	22,10	25,50	28,90	35,30	41,40	-	-	-
120	-	-	-	-	24,90	-	32,60	-	-	-	-	-
180x60	-	10,90	14,40	17,80	21,20	24,40	27,60	33,70	39,50	-	-	-
70	-	11,40	15,10	18,60	22,10	25,50	28,90	35,30	41,40	-	-	-
80	-	11,90	15,70	19,40	23,10	26,60	30,10	36,80	43,20	-	-	-
100	-	-	16,90	21,00	24,90	28,80	32,60	40,00	47,00	53,70	60,10	-
120	-	-	18,20	22,60	26,80	-	35,10	43,10	-	-	-	-
140	-	-	19,50	24,10	28,70	-	37,60	46,30	-	-	-	-
200x100	-	13,80	18,20	22,60	26,80	31,00	35,10	43,10	50,80	58,10	65,20	-
120	-	-	19,50	24,10	28,70	33,20	37,60	46,30	54,60	62,50	70,20	-
150	-	16,10	21,30	26,50	31,50	36,50	41,40	51,00	60,20	-	-	-
220x80	-	-	18,20	22,60	26,80	-	35,10	43,10	-	-	-	-
100	-	-	-	24,10	28,70	-	37,60	46,30	-	-	-	-
120	-	-	-	25,70	30,60	35,40	40,20	49,40	58,30	66,90	75,20	-
140	-	-	-	27,30	32,50	37,60	42,70	52,50	62,10	-	-	-
250x100	-	16,10	21,30	26,50	31,50	36,50	41,40	51,00	60,20	-	-	-
150	-	-	24,50	30,40	36,20	42,00	47,70	58,80	69,60	80,10	90,30	-
260x140	-	-	-	30,40	36,20	-	47,70	58,80	69,60	80,10	90,30	-
180	-	-	-	33,50	40,00	-	52,70	65,10	77,20	88,90	100,00	-
300x100	-	-	24,50	30,40	36,20	42,00	47,70	58,80	69,60	-	-	-
150	-	-	27,60	34,30	41,00	47,50	54,00	66,70	79,00	91,10	-	-
200	-	-	30,80	38,30	45,70	53,00	60,30	74,50	88,50	102,00	115,00	-
350x150	-	-	-	38,30	45,70	-	60,30	74,50	88,50	-	-	-

Dimensioni e Spessori diversi su richiesta



TUBI STRUTTURALI RETTANGOLARI **tubi strutturali a caldo**

UNI EN 10210 - Qualità S 275J0H - Qualità S 355J2H

Dimens.	Spessori											
	AxB	2	3	4	5	6	7	8	10	12	14	16
250	-	-	-	-	55,10	-	72,80	90,20	107,00	124,00	-	-
400x100	-	-	-	38,30	45,70	-	60,30	74,50	88,50	-	-	-
200	-	-	-	46,10	55,10	64,00	72,80	90,20	107,00	124,00	141,00	-
250	-	-	-	50,00	59,80	69,50	79,10	-	-	-	-	-
300	-	-	-	-	64,50	-	85,40	106,00	126,00	146,00	-	-
450x250	-	-	-	-	64,50	-	85,40	106,00	126,00	146,00	166,00	-
500x200	-	-	-	-	-	-	85,40	106,00	126,00	-	-	-
300	-	-	-	-	-	-	97,90	122,00	145,00	-	191,00	-

Dimensioni e Spessori diversi su richiesta